



3V0-732^{Q&As}

VMware Certified Advanced Professional 7 - Cloud Management and Automation Design Exam

Pass VMware 3V0-732 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.lead4pass.com/3v0-732.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by VMware Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

An architect has been tasked with expanding the design of an existing production instance of vRealize Automation (vRA) to integrate the assets of a newly acquired company. This acquisition has the following new resources:

1.
A vCenter Server
2.
An AWS presence
3.
A HyperV Server

Which design recommendation should the architect make in order to integrate these new resources into the current vRA distributed deployment?

- A. In the vRA Virtual Appliance Management Interface (VAMI) select the Cluster page on the vRA Settings tab and add the three new nodes to your vRA cluster architecture.
- B. Integrate new vSphere and Hyper-V proxy agents into the distributed IaaS server architecture. Design three new endpoints for vCenter, Hyper-V and Amazon EC2 within the vRA UI based on the configuration specifications of each.
- C. By leveraging the existing environment's proxy agents, design three new endpoints for vCenter, Hyper-V and Amazon EC2 within the vRA UI based on the configuration specifications of each.
- D. Integrate three separate new proxy agents for each new resource into the distributed IaaS server architecture. Design the respective three new endpoints within the vRA UI based on the configuration specifications of each.

Correct Answer: B

QUESTION 2

A cloud architect is tasked with designing a vSphere-based private cloud multi-machine blueprint solution for an organization's complex application consisting of multiple virtual machines (VMs) and a container. During requirements gathering, the following requirements are identified:

1.
The application, which runs in a container, should be able to access the internet and update an existing internal database.
2.
Provisioned VMs should NOT have access to the internet or external database.
3.
A third-party Configuration Management (CM) tool should be used for multi-machine automation.



4.

Before integration with the CM tool container, the application should start and update the existing internal database.

5.

Any information received from the container VM should be available before the CM toll agent is installed.

Which is the best CM tool integration design recommendation for this scenario?

- A. vRealize Automation external custom properties and CloudClient
- B. vRealize Automation blueprint with software components
- C. Virtual Machine template with pre-installed CM agent
- D. vRealize Orchestrator workflow at POST Machine Provisioned Event Broker state

Correct Answer: D

QUESTION 3

The tenant administrator for a company's vRealize Automation deployment is asked to create a profile for a user that should be able to assemble the blueprints that define catalog items for consumers to request from the service catalog. Which tenant role should this user be granted?

- A. Fabric administrator
- B. Catalog architect
- C. Blueprint administrator
- D. Application architect

Correct Answer: D

Reference: <https://docs.vmware.com/en/vRealize-Automation/7.3/com.vmware.vrA.prepare.use.doc/GUID-135436AC-CF31-44A1-A358-61D2B68183AE.html>

QUESTION 4

During requirements gathering for an organization's private cloud on a single machine catalog, the following requirements were identified:

A user should be able to select a data center location which is mapped to a custom resource by the fabric administrator.

A Guest VM custom hostname format should be based on the first two letters of the data center location.

A generated VM custom hostname format should be displayed as a drop-down in the catalog request page using a vRealize Automation (vRA) custom property backed by external vRealize Orchestrator (vRO) action.

Which design recommendation would best address these requirements?



- A. Define a custom property "_vrm.DataCenter.Location" with static datacenter values, assign it to the blueprint with the "Show in the request" check box selected and map it as an input to the required vRO action.
- B. Define a custom property "Vrm.DataCenter.Location" with static datacenter values, assign it to the blueprint with the "Show in the request" check box selected and map it as an input to the required vRO action.
- C. Enable "Display location on request" in the blueprint's VM machine type, map the built-in "Vrm.DataCenter.Location" custom property as an input to the required vRO action.
- D. No new custom property is required since the fabric administrator has already mapped datacenter locations to the correct compute resources. Map the built-in "_vrm.DataCenter.Location" custom property as an input to the required vRO action.

Correct Answer: C

Reference: <https://docs.vmware.com/en/vRealize-Automation/7.5/com.vmware.vrA.prepare.use.doc/GUIDFA2ED665-4973-435C-A93B-8E4EAB5D1F8A.html>

QUESTION 5

The architect for a teaching hospital is planning the deployment of a highly-distributed cloud management platform based on VMware vRealize Automation. The design must ensure that all virtual machines should be setup in a prescribed

order.

vSphere 6.5 will be used as the deployment platform.

vSphere Availability VM Groups and VM Rules will be used.

The design will use vRealize Orchestrator embedded in the vRealize Automation Appliances.

Place the virtual machine groups in the correct start-up order.

Select and Place:

Virtual Machine Groups

-
-
-
-
-

Correct Order

Correct Answer:



Virtual Machine Groups

Correct Order

- External vRealize Automation Database Server (Microsoft SQL Server)
- vRealize Automation Virtual Appliances
- vRealize Automation IaaS Web Servers
- vRealize Automation IaaS Managers
- vRealize Automation IaaS DEM Workers

Reference: https://docs.vmware.com/en/VMware-Cloud-Foundation/3.5/com.vmware.vcf.admin.doc_35/GUID-73223FAB-B2C6-44CE-A4B8-86AA43A13B74.html

QUESTION 6

The lead architect for a teaching hospital in Seattle is planning the deployment of a highly-distributed Cloud Management Platform based on VMware vRealize Automation. The design must include log aggregation and analytics for in-depth

troubleshooting and analysis when issues arise and ensure a seamless experience for the operations teams.

The organization must use vRealize Log Insight for log aggregation and analysis.

The organization currently uses vRealize Operations for monitoring, alerting and capacity management.

The design will use external vRealize Orchestrator Appliances.

Match the actions to the components. Some of the components may be associated with more than one action.

Select and Place:

<ul style="list-style-type: none"> Configure vRealize Log Insight Linux Agent Install vRealize Automation Content Pack Install vRealize Automation Management Pack Configure vRealize Automation Management Pack Install vRealize Log Insight Windows Agent Configure vRealize Log Insight Windows Agent Enable Launch-in-Context 	<p>Answer Area</p> <p>vRealize Automation IaaS Servers</p> <div style="border: 1px solid black; height: 20px; width: 100%;"></div> <div style="border: 1px solid black; height: 20px; width: 100%;"></div> <p>vRealize Automation Appliances</p> <div style="border: 1px solid black; height: 20px; width: 100%;"></div>	<p>vRealize Log Insight</p> <div style="border: 1px solid black; height: 20px; width: 100%;"></div> <div style="border: 1px solid black; height: 20px; width: 100%;"></div> <p>vRealize Operations Manager</p> <div style="border: 1px solid black; height: 20px; width: 100%;"></div> <div style="border: 1px solid black; height: 20px; width: 100%;"></div>
--	---	--

Correct Answer:



- Configure vRealize Log Insight Linux Agent
- Install vRealize Automation Content Pack
- Install vRealize Automation Management Pack
- Configure vRealize Automation Management Pack
- Install vRealize Log Insight Windows Agent
- Configure vRealize Log Insight Windows Agent
- Enable Launch-in-Context

Answer Area

vRealize Automation IaaS Servers

Install vRealize Log Insight Windows Agent

Install vRealize Automation Content Pack

vRealize Automation Appliances

Install vRealize Automation Content Pack

vRealize Log Insight

Configure vRealize Log Insight Linux Agent

Configure vRealize Log Insight Windows Agent

vRealize Operatons Manager

Install vRealize Automation Management Pack

Configure vRealize Automation Management Pack

QUESTION 7

An enterprise class software company merged with an enterprise class storage provider. Both had operational vRealize Automation environments prior to the merger. The architect has recommended a combined private c loud (vRealize Automation) environment.

The following requirements have been set:

?There should be separate email servers for notification. ?Blueprints should NOT be visible across organizations. ?Property group(s) should be unique to each organization. ?Machine prefixes should be unique to each organization with

duplicate machine names. What should the architect recommend to meet these requirements?

- A. Separate tenant for each organization.
- B. Separate business group for each organization.
- C. Custom group for each organization as tenant administrator within the default tenant.
- D. Separate fabric group for each organization.

Correct Answer: A

QUESTION 8

The Human Resources (HR) team would like its members to be able to manage and delete Active Directory user accounts in vRealize Automation while protecting against accidental user account deletion. In which two ways could this be accomplished? (Choose two.)

- A. Create an Approval Policy for '\\Service Catalog - Catalog Item Request\\' requiring that HR managers authorize the deletion action.
- B. Create an Approval Policy for '\\Service Catalog - Resource Action Request\\' requiring that HR managers authorize the deletion action.



- C. Create an Event Broker subscription to notify HR managers and prevent the deletion from occurring.
- D. Create an Event Broker subscription to not ify HR managers and move the account into an archive OU.

Correct Answer: AB

QUESTION 9

Which two-factor authentication mechanism is supported by vRealize Automation?

- A. Mobile SSO (Secure Sign-On) authentication
- B. AirWatch Cloud Connector authentication
- C. Certificate-based authentication
- D. RADIUS (Remote Authentication Dial-In User Service) authentication

Correct Answer: D

QUESTION 10

An architect has been asked to design a machine blueprint for the development team. The machine(s) of each deployment must contain dynamically-assigned unique IP\\'s that could be reached by the resources on the corporate network. Which type of network should the architect recommend for this blueprint?

- A. On-Demand NAT Network
- B. Existing Network
- C. On-Demand Routed Network
- D. On-Demand Load Balancer

Correct Answer: A

QUESTION 11

When assigning fabric administrator role to a user or group of users who will manage the implemented fabric group design of the vRealize Automation deployment, which are three considerations to take into account? (Choose three.)

- A. The architect can add the fabric administrator role to a system-wide role such as IaaS administrator or system administrator, so that the fabric administrator can create reservations for any tenant, NOT just their own.
- B. The fabric administrator manages physical machines and compute resources assigned to their fabric group(s) and creates and manages the reservations and policies associated with those 1sources within the scope of their tenant.
- C. The fabric administrator is responsible for user and group management, notifications and business policies such as approvals and entitlements.
- D. The fabric administrator manages property groups, n1achine prefixes and the property dictionary t hat are used



across all tenants and business groups.

E. The fabric administrator tracks resource usage by all users within the fabric group and initiates reclamation requests for virtual machines.

Correct Answer: ABD

QUESTION 12

A company has recently implemented a DevOps strategy amongst the development and operations teams. In the second phase of the project, it needs to apply the same best practices of version control, unit testing, and continuous delivery to its vSphere infrastructure. Considering the scenario, which two statements are true regarding the solution? (Choose two.)

- A. Content changes for the infrastructure generally flow from development to multiple test and production environments and are often developed separately by different team members and then merged into a shared environment.
- B. Infrastructure content is usually binary, and this makes it difficult to use a source control system to handle updates and merges. A different tool must be used to manage these requirements.
- C. Multiple steps of imports and exports of infrastructure contents are required for a single change to propagate through the release pipeline from development to production.
- D. Once the movement of such content between environments is automated, consistent results are guaranteed for the deployment of infrastructure components.

Correct Answer: AC

Reference: <https://www.vmware.com/files/pdf/products/vrealize/vmware-vrealize-code-stream-managementsolution-brief.pdf>

QUESTION 13

The security team has mandated that all new virtual machines undergo an automated network security scan when provisioned. The security team has provided the cloud architect with the REST API calls necessary to interface with the security scanning solution.

Which design recommendation would enable this capability?

- A. Create an Orchestrator workflow to trigger the security scan based on a subscription to the BuildComplete lifecycle state.
- B. Design an approval policy that references the external REST API and associate this approval policy with the IaaS machine provisioning workflow.
- C. Design a software component that includes the REST API calls during the I nstall script, and include
- D. This component on all systems.
- E. Create an Orchest rator workflow to trigger the security scan based on a subscription to the MachineActivated lifecycle state.

Correct Answer: E



VCE & PDF

Lead4Pass.com

<https://www.lead4pass.com/3v0-732.html>

2021 Latest lead4pass 3V0-732 PDF and VCE dumps Download

[Latest 3V0-732 Dumps](#)

[3V0-732 PDF Dumps](#)

[3V0-732 Practice Test](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !


100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.lead4pass.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket:



 <p>One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p>Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p>Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.
All trademarks are the property of their respective owners.
Copyright © lead4pass, All Rights Reserved.